

# DIC

"Your Leader in Power Solutions"



## D2000C

MODIFIED SINE WAVE  
POWER INVERTER WITH CHARGER (UPS)

Main technical parameter of the inverter

# DIC

"Your Leader in Power Solutions"

1.This product can convert a 12v/24v direct current into a 110v/220v alternating current, and can be used as a battery charger.

Power Rating		2000W	
Peak Power Output		4000W	
Input Section	DC Input Voltage	12VDC	24VDC
	DC Operating Voltage	11-15VDC	21-29VDC
	DC Low- voltage protection	9-10.5VDC	18.5-20.5VDC
	DC Low voltage Alarm	9.5-11VDC	19.5-21VDC
	DC over voltage protection	15VDC	29VDC
	Fuse Quantity & Size	7×15A	
	Ideal Battery Size	75-250Ah	
	Quiescent Current	1.6A	
	Input Parameter of the product	-----	
Output Section	Output waveform	Modified Sine Wave	
	Output voltage	220 - 5%	
	Output Frequency	50HZ - 1%	
	Transfer Efficiency	85-90%	
	Short- circuit protection	YES	
	Operating Temperature	-10°C — +50 °C	
	Green LED Indicator	Green light (wording), Flash(Overload protection)	
	Red LED Indicator	Red light (Error protection)	
Dimension(L×W×H)		255•170•126	
CERTIFICATE		CE, ISO90001, ROHS	



**Peyman  
Electric**

**Address:**

No. 203, Tehran Electric commercial complex,  
Boshehri Alley, South Lalehzar Ave,  
Tehran - Iran

**Tel:** 0098 21 33999193 / 33993055

0098 21 33993009 / 33992998

**Mob:** 09127981330

**Fax:** 0098 21 33999194

[www.invertergroup.com](http://www.invertergroup.com)



**D2000C**

MODIFIED SINE WAVE

POWER INVERTER WITH CHARGER (UPS)